

APD

APD SERIES "BENCH/FLOOR" SCALE



Bench scale with weight indicator designed which can either be mounted attached to the platform or it can be mobile for remote positioning, thanks to the stretchable cable. Available also CE-M APPROVED for legal for trade use.

TECHNICAL FEATURES

- Mobile weight indicator with adjustable inclination, ABS case and 1m connection cable. Backlit LCD display with 6 high contrast 25 mm digits and icons for showing the active functions. Functional waterproof 5-key keypad.
- Aluminium load cell functioning.
- Easy to clean stainless steel body, suitable for use in harsh environments.
- Stainless steel 365x235mm plate.
- Level, adjustable feet, and lateral carrying handles.
- Alimentation through built-in rechargeable battery (about 80h battery life) battery charger is included (to not use as power adaptor).
- Packaging: 510x400x300mm size approximate weight of 9,6kg.
- Upon request:
 - ACCREDIA calibration with issuing of relative certificate; CE-M approval.

FUNCTIONS

- weight totalisation in loading or in unloading, manual or automatic;
- lb/kg conversion;
- tare:
- auto switch-off;
- backlight control;
- battery levels warning;
- zeroing.

DETAIL 1



The indicator can be mounted attached to the platform or it can be installed in any desired position, enabling the weighing of bulky objects.

VERSIONS

| Available versions | | | | | |
|--------------------|-----------|-------|------|---------|------|
| | l x w x h | Max | d | M | d HR |
| Codice | (mm) | (kg) | (g) | 2R (g)* | (g)* |
| APD15-1 | 365x235 | 6/15 | 2/5 | 2/5 | 0,5 |
| APD30-1 | 365x235 | 15/30 | 5/10 | 5/10 | 1 |
| APD1230-1 | 365x235 | 12/30 | 2/5 | 2/5 | |

^(*) CE-M divisions are obtainable only with the relative options. HR divisions (not available for approved versions) needs the THR option.



Reg. No. 1978/003735/07

MASSAMATIC PTY LTD

13 BOOMPIES STREET - 7500 - PAROW-EAST - SOUTH AFRICA

Tel. 0027-219302510

Fax. 0027-219398488

E-mail sales@massamatic.com

Web www.massamatic.com